

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claim 1 (Currently Amended) A car navigation system comprising:

a map generator configured to display at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps, from mapping information provided from a database;

a position detector for detecting configured to detect a position of a vehicle;
an input unit for receiving configured to receive a facilities request from a user;

a land mark search unit for searching configured to search in a land mark database, for land mark facilities to satisfy the facilities request; in a land mark database;

a map summarizing unit for generating configured to generate a summary road map having a reduced amount of information than the at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps, by applying a summarizing operation over a main road including a running route and by applying an icon representing any found land mark facilities satisfying the facilities request; and

a display unit for displaying configured to display the summary road map together with a mark indicative of the vehicle position.

Claim 2 (Previously Presented) The car navigation system according to claim 1, wherein the display unit displays an attribute information about a land mark facility specified by the input unit.

Claim 3 (Currently Amended) A car navigation system comprising:
a map generator configured to display at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps, from mapping information provided from a database;
a position detector ~~for detecting~~ adapted to detect a position of a vehicle;
a search unit ~~for searching~~ adapted to search for a route between the detected vehicle position and a specified target position₁ or a specified departure position and the specified target position₁ under set conditions;
a map summarizing unit ~~for generating~~ adapted to generate a summary road map having a reduced amount of information than the at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps, and including a simplified ~~by simplifying the route between the detected vehicle position and the specified target position₁ or the specified departure position and the specified target position₁ with broken-highlighted lines;~~ and
a display unit ~~for displaying~~ adapted to display the summary road map of the simplified route.

Claim 4 (Currently Amended) The car navigation system according to claim 3, wherein the ~~searching~~ search unit also searches for another route between said the detected vehicle position and the specified target position₁ or the specified

departure position and said the specified target position, ~~under conditions other than the set conditions,~~ when an impediment is detected with respect to the simplified route, and the display unit displays the summary road map of ~~all the other routes at least one other route~~ between the detected vehicle position and the specified target position, or the specified departure position and the specified target position, searched by the search unit, by simplified ~~broken~~ highlighted lines.

Claim 5 (Currently Amended) The car navigation system according to claim 3, ~~further~~ comprising a communication unit for receiving traffic information, and wherein the display unit displays the traffic information received by the communication unit on the summary road map with respect to ~~the~~ a corresponding route displayed thereon.

Claim 6 (Currently Amended) The car navigation system according to claim 5, wherein the display unit displays a detour responsive to the traffic information indicating ~~a blockage~~ an impediment of passage of the vehicle on the summary road map.

Claim 7 (Cancelled)

Claim 8 (Currently Amended) The car navigation system according to claim 6, wherein, when traffic information which impedes the passage of the vehicle is received by the communication unit, the display unit displays two windows of including the summary road map and at least one of the two-dimensional maps,

~~three-dimensional maps or bird's-eye-view maps. of the road map when traffic information which blocks the passage of the vehicle is received by the communication unit.~~

Claim 9 (Currently Amended) A car navigation system comprising:

a map generator configured to display at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps, from mapping information provided from a database;

a position detector for detecting adapted to detect a current position of a vehicle;

an input unit for inputting adapted to input a target position;

a search unit for searching adapted to search for a running route on the basis of the detected current position and the inputted target position;

a map summarizing unit for generating adapted to generate a summary road map having a reduced amount of information than the at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps, where the summary road map shows a path from the current vehicle position to a next turning corner on the searched running route; and

a display unit for displaying adapted to display the summary road map, wherein, when the current vehicle position arrives at a position within a predetermined range from the next turning corner, the display unit automatically displays the summary road map from the current vehicle position to the next turning corner with a mark of the current vehicle position.

Claim 10 (Previously Presented) The car navigation system according to claim 9, wherein the predetermined range is broader than a display range of a magnified road map displayed for the next turning corner.

Claim 11 (Previously Presented) The car navigation system according to claim 3, wherein the vehicle position is displayed by a mark in the summary road map.

Claim 12 (Currently Amended) The car navigation system according to claim 3, wherein roads displayed in the summary road map are displayed as made linear, and roads which meet at an intersection are displayed as made orthogonal to each other.

Claim 13 (Previously Presented) The car navigation system according to claim 3, wherein the display unit displays the simplified route without a map.

Claim 14 (Currently Amended) The car navigation system according to claim 8, wherein the display unit switches to a road map display the at least one of two-dimensional maps, three-dimensional maps or bird's-eye-view maps, when the vehicle position shifts to the detour.

Claim 15 (Currently Amended) The car navigation system according to claim 3, wherein the display unit displays a road map, and the road map is at least one of the two-dimensional maps, three-dimensional maps or bird's-eye-view maps, ~~a two-~~

~~dimensional road map or a bird's-eye-view road map or a three-dimensional road map.~~

Claim 16 (Previously Presented) The car navigation system according to claim 9, wherein the display unit displays a window of the summary road map with a window of a road map including the searched running route.

Claim 17 (Currently Amended) The car navigation system according to claim 9, wherein the display unit displays a road map, and the road map is at least one of the two-dimensional maps, three-dimensional maps or bird's-eye-view maps. ~~a two-dimensional road map or a bird's-eye-view road map or three-dimensional road map.~~

Claim 18 (New) The car navigation system according to claim 1, wherein the map summarizing unit is configured to at least one of linearize and orthogonalize roads to generate the summary road map.

Claim 19 (New) The car navigation system according to claim 1, wherein the display unit is configured to display the summary road map automatically responsive to a predetermined change in positioning of the vehicle on the at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps.

Claim 20 (New) The car navigation system according to claim 3, wherein the map summarizing unit is configured to at least one of linearize and orthogonalize roads to generate the summary road map.

Claim 21 (New) The car navigation system according to claim 3, wherein the display unit is configured to display the summary road map automatically responsive to a predetermined change in positioning of the vehicle on the at least one of two-dimensional maps, three-dimensional maps and bird's-eye-view maps.

Claim 22 (New) The car navigation system according to claim 1, wherein the map summarizing unit is configured to at least one of linearize and orthogonalize roads to generate the summary road map.